according to Regulation (EC) No. 1907/2006



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : gigasept PAA

Unique Formula Identifier 0XE0-50MW-C000-0V7J

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mix-Disinfectant for medical device

ture

Recommended restrictions Restricted to professional users.

on use

1.3 Details of the supplier of the safety data sheet

Producer : Bioxal

Route des Varennes

71103 Chalon-sur-Saône Cedex

France

Telephone: + 33 (0) 3 85 92 30 00 Telefax: + 33 (0) 3 85 92 30 12

Supplier Schülke France SARL

50 Boulevard National

92250 La Garenne-Colombes

France

Telephone: + 33 (0) 1 42 91 42 42 Telefax: + 33 (0) 1 42 91 42 88 schuelkefrance.info@schuelke.com

E-mail address of person re-

sponsible for the SDS/Contact person : Application Department +49 (0)40/ 521 00 666 AD@schuelke.com

(Schülke & Mayr UK Ltd.: +44-1142543500)

1.4 Emergency telephone number

Emergency telephone num-: UK Poisons Emergency number: 0870 600 6266 Carechem 24 International:+44 1235 239670 ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Cat-H412: Harmful to aquatic life with long lasting ef-

egory 3 fects.



gigasept PAA No Change Service!

VersionRevision Date:Date of last issue: 17.06.201905.0024.01.2022Date of first issue: 11.06.2007

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No hazards to be specially mentioned.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
hydrogen peroxide	7722-84-1	Ox. Liq. 1; H271	>= 3 - < 5
	231-765-0	Acute Tox. 4; H302	
	008-003-00-9	Acute Tox. 4; H332	
	01-2119485845-22-	Skin Corr. 1A; H314	
	XXXX	Eye Dam. 1; H318	
		STOT SE 3; H335	
		Aquatic Chronic 3;	
		H412	
acetic acid	64-19-7	Flam. Liq. 3; H226	>= 3 - < 5
	200-580-7	Skin Corr. 1A; H314	
{ 	607-002-00-6	Eye Dam. 1; H318	

schülke ->

gigasept PAA No Change Service!

VersionRevision Date:Date of last issue: 17.06.201905.0024.01.2022Date of first issue: 11.06.2007

	01-2119475328-30- XXXX		
peracetic acid	79-21-0 201-186-8 607-094-00-8 01-2119531330-56- XXXX	Flam. Liq. 3; H226 Org. Perox. D; H242 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 4; H312 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400; M = 1 Aquatic Chronic 1; H410; M = 10	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off all contaminated clothing immediately.

If inhaled : Move the victim to fresh air and keep him calm.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with plenty of water.

If symptoms persist, call a physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth.

Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.



gigasept PAA No Change Service!

Date of last issue: 17.06.2019 Version Revision Date: 05.00 24.01.2022 Date of first issue: 11.06.2007

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

The product itself does not burn.

Unsuitable extinguishing me- : None known.

dia

5.2 Special hazards arising from the substance or mixture

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Handle in accordance with good industrial hygiene and safety

practice.

Ensure adequate ventilation. Avoid contact with skin and eyes.

Do not breathe vapour.

6.2 Environmental precautions

Environmental precautions Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material.

Unsuitable material for picking up:

Absorbent material, organic

Kieselguhr Sawdust

Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

Flush with water.

6.4 Reference to other sections

see Section 8 + 13



gigasept PAA No Change Service!

Date of last issue: 17.06.2019 Version Revision Date: 05.00 24.01.2022 Date of first issue: 11.06.2007

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Provide sufficient air exchange and/or exhaust in work rooms.

Handle and open container with care.

Never return unused material to storage receptacle.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink.

7.2 Conditions for safe storage, including any incompatibilities

eas and containers

Requirements for storage ar- : Keep only in the original container. Suitable container and packaging materials for safe storage Plastic container of HDPE Polyethylene glass Unsuitable materials for containers

Metals Store in a receptacle equipped with a vent.

Further information on stor-

age conditions

Keep away from heat. Keep away from direct sunlight. Store in cool place. Do not keep the container sealed. Store in up-

right position only. Recommended storage temperature: 5 -

30°C

Advice on common storage Do not store together with metals.

Do not store together with alkalis.

Do not store together with reducing agents.

Do not store together with combustible substances.

7.3 Specific end use(s)

Specific use(s) none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	GB EH40
		STEL	2 ppm 2.8 mg/m3	GB EH40
		PEL	1.25 mg/m3	Biocide dos- sier
		STEL	1.25 mg/m3	Biocide dos- sier
acetic acid	64-19-7	TWA	10 ppm 25 mg/m3	2017/164/EU
	Further information: Indicative			
		STEL	20 ppm	2017/164/EU

schülke -}-

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

			50 mg/m3	
	Further info	Further information: Indicative		
		STEL	20 ppm 50 mg/m3	GB EH40
		TWA	10 ppm 25 mg/m3	GB EH40
peracetic acid	79-21-0	PEL	0.16 ppm 0.5 mg/m3	Biocide dos- sier
		STEL	0.16 ppm 0.5 mg/m3	Biocide dos- sier

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
hydrogen peroxide	Workers	Inhalation	Acute local effects	3 mg/m3
	Workers	Inhalation	Long-term local ef- fects	1.4 mg/m3
acetic acid	Workers	Inhalation	Acute local effects	25 mg/m3
	Workers	Inhalation	Long-term local ef- fects	25 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
hydrogen peroxide	Fresh water	0.0126 mg/l
	Marine water	0.0126 mg/l
	Intermittent use/release	0.0138 mg/l
	Effects on waste water treatment plants	4.66 mg/l
	Fresh water sediment	0.047 mg/kg
	Marine sediment	0.047 mg/kg
	Soil	0.0023 mg/kg
acetic acid	Fresh water	3.058 mg/l
	Marine water	0.306 mg/l
	Fresh water sediment	11.36 mg/kg
	Marine sediment	1.136 mg/kg
	Intermittent use/release	30.58 mg/l
	Soil	0.478 mg/kg
	Effects on waste water treatment plants	85 mg/l
peracetic acid	Fresh water	0.0069 µg/l
	Marine water	0.069 µg/l
	Effects on waste water treatment plants	0.051 mg/l
	Effects on terrestrial organisms	0.282 mg/kg

8.2 Exposure controls

Engineering measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye protection

Safety glasses with side-shields conforming to EN166

Hand protection Directive

The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

according to Regulation (EC) No. 1907/2006

schülke -}

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120

Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protection. Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection.

Respiratory protection : If the occupational exposure limits cannot be met, in excep-

tional cases suitable respiratory equipment should be worn

only for a short period of time.

Combination filter:

A2B2E2K2 Hg NO P3 P D/ CO 20 P3 R D

No personal respiratory protective equipment normally re-

quired.

Protective measures : Do not breathe vapour.

Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : colourless
Odour : vinegar-like
Odour Threshold : not determined

pH : 3.5 (20 °C)

Concentration: 100 %

Melting point/freezing point : not determined

Crystallization range < -15 °C

Decomposition temperature No data available

Boiling point/boiling range : ca. 100 °C (1,013 hPa)

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) Upper explosion limit / Upper : Not applicable: Not applicable

flammability limit

Lower explosion limit / Lower :

flammability limit

Not applicable

Vapour pressure : 20 hPa (ca. 20 °C)

Vapour density : No data available

according to Regulation (EC) No. 1907/2006

schülke -}-

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Relative density : 1.02 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely soluble Partition coefficient: n-oc- : Not applicable

tanol/water

Auto-ignition temperature : Not applicable

Viscosity

Viscosity, dynamic : not determined

Explosive properties : Not explosive

Oxidizing properties : Not applicable

9.2 Other information

Metal corrosion rate : Not corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : To avoid thermal decomposition, do not overheat.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Reducing agents

Acid chlorides

Strong acids and strong bases

Aldehydes Metals

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006

schülke -}-

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

hydrogen peroxide:

Acute oral toxicity : LD50 (Rat): 801 - 872 mg/kg

Remarks: Harmful if swallowed.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Remarks: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, Annex VI,

Table 3.1

Acute dermal toxicity : LD50 (Rat): 6,500 mg/kg

acetic acid:

Acute oral toxicity : LD50 (Rat): 3,310 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 39.8 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

peracetic acid:

Acute oral toxicity : LD50 (Rat): 85 - 153 mg/kg

Assessment: Toxic if swallowed.

Acute inhalation toxicity : LC50 (Rat): 0.204 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Assessment: Fatal if inhaled.

Acute dermal toxicity : LD50 (Rat): 1,100 mg/kg

Assessment: Harmful in contact with skin.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

according to Regulation (EC) No. 1907/2006



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

Components:

hydrogen peroxide:

Species : Rabbit

Result : Corrosive after 3 minutes or less of exposure

acetic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

peracetic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit

Assessment : Causes serious eye irritation.

Method : OECD Test Guideline 405

Result : irritating GLP : yes

Components:

hydrogen peroxide:

Species : Rabbit

Result : Irreversible effects on the eye

acetic acid:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

peracetic acid:

Species : Rabbit

Result : Irreversible effects on the eye

according to Regulation (EC) No. 1907/2006



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Components:

hydrogen peroxide:

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

acetic acid:

Result : No data available

peracetic acid:

Species : Mouse

Result : Did not cause sensitisation on laboratory animals.

Remarks : Substance is not considered to be potential skin sensitiser.

Germ cell mutagenicity

Not classified based on available information.

Components:

hydrogen peroxide:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Result: Non mutagenic

acetic acid:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

peracetic acid:

Germ cell mutagenicity- As-

sessment

Germ cell effects are not relevant., The substance has been tested for mutagenicity and other types of genotoxic effects in

in vitro and in vivo experiments and is evaluated as being non-

mutagenic.

according to Regulation (EC) No. 1907/2006



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Carcinogenicity

Not classified based on available information.

Components:

hydrogen peroxide:

Carcinogenicity - Assess-

Animal testing did not show any carcinogenic effects.

ment

acetic acid:

Carcinogenicity - Assess-

Animal testing did not show any carcinogenic effects.

ment

peracetic acid:

Carcinogenicity - Assess-

ment

: No structural alerts for carcinogenicity were found.

Reproductive toxicity

Not classified based on available information.

Components:

hydrogen peroxide:

Reproductive toxicity - As- : Animal testing did not show any effects on fertility.

sessment

acetic acid:

Reproductive toxicity - As- : Animal testing did not show any effects on fertility.

sessment

peracetic acid:

Effects on foetal develop- : Species: Rat

ment ... Application Route: Oral

General Toxicity Maternal: NOAEL: 100 mg/l

Teratogenicity: NOAEL F1: 100 mg/l

Reproductive toxicity - As- : Animal testing did not show any effects on fertility.

sessmen

STOT - single exposure

Not classified based on available information.

Components:

hydrogen peroxide:

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

acetic acid:

Assessment : The substance or mixture is not classified as specific target or-

gan toxicant, single exposure.

peracetic acid:

Assessment : May cause respiratory irritation.

Z11981 ZSDB_P_GB EN

Page 12/20

according to Regulation (EC) No. 1907/2006

schülke -}-

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

STOT - repeated exposure

Not classified based on available information.

Components:

hydrogen peroxide:

Assessment : No data available

acetic acid:

Assessment : The substance or mixture is not classified as specific target or-

gan toxicant, repeated exposure.

peracetic acid:

Assessment : The substance or mixture is not classified as specific target or-

gan toxicant, repeated exposure.

Repeated dose toxicity

Components:

hydrogen peroxide:

Species : Rat

NOAEL : 26 mg/kg

Application Route : Oral

Exposure time : 3 months

Remarks : No adverse effect has been observed in chronic toxicity tests.

Species : Rat

NOAEL : 0.0029 mg/l Application Route : inhalation (vapour)

Method : OECD Test Guideline 407

acetic acid:

Species : Rat

NOAEL : 1,800 mg/kg Application Route : Oral

Exposure time : 01ai

peracetic acid:

Species : Rat

NOAEL : 15 mg/kg

Exposure time : 90-day

Remarks : No adverse effect has been observed in sub chronic toxicity

tests.

Aspiration toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Further information

Product:

No human information is available. Remarks

SECTION 12: Ecological information

12.1 Toxicity

Components:

hydrogen peroxide:

Toxicity to fish LC50 (Fish): 16.4 - 37.4 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 2.4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l

Exposure time: 72 h

acetic acid:

LC50 (Gambusia affinis (Mosquito fish)): 251 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna): 95 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

EC100 (Euglena gracilis): 720 mg/l

Exposure time: 0.25 h

peracetic acid:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.1 mg/l

> Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna): 0.73 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.061

mg/l

Exposure time: 72 h Test Type: static test

according to Regulation (EC) No. 1907/2006

schülke -}-

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

M-Factor (Acute aquatic tox- : 1

city)

Toxicity to fish (Chronic tox-

icity)

: NOEC: 0.00069 mg/l Exposure time: 33 d

Species: Danio rerio (zebra fish)

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity) NOEC: 0.0121 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 10

toxicity)

12.2 Persistence and degradability

Components:

hydrogen peroxide:

Biodegradability : Result: Totally biodegradable

Method: OECD Test Guideline 301

acetic acid:

Biodegradability : Result: Totally biodegradable

Method: OECD 301D / EEC 84/449 C6

peracetic acid:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301

12.3 Bioaccumulative potential

Components:

hydrogen peroxide:

Bioaccumulation : Remarks: Does not bioaccumulate.

acetic acid:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

peracetic acid:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-oc-

tanol/water

: log Pow: -0.26 (20 °C)

Method: Calculated value

schülke -}-

gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

12.4 Mobility in soil

Components:

hydrogen peroxide:

Mobility : Medium: Water

Remarks: Hydrolyses readily.

acetic acid:

Mobility : Remarks: No data available

peracetic acid:

Mobility : Medium: Water

Remarks: Hydrolyses readily.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of the product according to the defined EWC (Euro-

pean Waste Code) No.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Take empty packaging to the recycling plant.

Waste key for the unused

product

: European waste catalog (EWC) 160903*

Waste key for the unused

product(Group)

: peroxides, for example hydrogen peroxide

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (An-:

nex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Conditions of restriction for the following entries should be considered:

Number on list 3 : Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Directive 2010/75/EU of 24 November 2010 on industrial Volatile organic compounds

> emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.62 %

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure

The components of this product are reported in the following inventories:



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AICS : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour. H242 : Heating may cause a fire.

H271 : May cause fire or explosion; strong oxidizer.

H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled. H332 : Harmful if inhaled.

H335 : May cause respiratory irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam.: Serious eye damageFlam. Liq.: Flammable liquidsOrg. Perox.: Organic peroxidesOx. Liq.: Oxidizing liquids



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

Skin Corr. : Skin corrosion

STOT SE : Specific target organ toxicity - single exposure

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Based on product data or assess-

ment

Aquatic Chronic 3 H412 Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

according to Regulation (EC) No. 1907/2006



gigasept PAA No Change Service!

Version Revision Date: Date of last issue: 17.06.2019 05.00 24.01.2022 Date of first issue: 11.06.2007

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.